

**Safety Data Sheet according to Regulation (EC)
No. 1907/2006 (REACH)**

Printed 24.02.2020
Revision 24.02.2020 (GB) Version 2.0
R 1233zd
0072



! SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of product	R 1233zd Art-Nr(n): 0072
Name of substance	trans-1-Chloro-3,3,3-trifluoropropene (R 1233zd)
Index No	-
EC No	700-486-0
REACH registration number	01-2119855084-38
CAS No	102687-65-0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Remark

Restricted to professional users.

Recommended intended purpose(s)

Refrigerant.
Foam expansion agent.
Convector fluid.

1.3. Details of the supplier of the safety data sheet

Manufacturer/distributor

GHC Gerling, Holz & Co. Handels GmbH
Ruhrstraße 113, D-22761 Hamburg
Phone +49 40 853 123-0, Fax +49 40 853 123-66
E-Mail hamburg@ghc.de
Internet www.ghc.com

Advice

GHC Gerling, Holz & Co. Handels GmbH
Phone +49 40 853 123-0
Fax +49 40 853 123-66
E-mail (competent person):
msds@ghc.de

1.4. Emergency telephone number

Emergency advice

Medizinische Notfallauskunft bei Vergiftungen:
Giftinformationszentrum Mainz - 24 h
Phone +49 6131 19240

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]

Hazard classes and Hazard categories	Hazard Statements	Classification procedure
--------------------------------------	-------------------	--------------------------

Liquef. Gas	H280
Aquatic Chronic 3	H412

Hazard statements for physical hazards

H280 Contains gas under pressure; may explode if heated.

Hazard statements for environmental hazards

H412 Harmful to aquatic life with long lasting effects.

**Safety Data Sheet according to Regulation (EC)
No. 1907/2006 (REACH)**

Printed 24.02.2020
Revision 24.02.2020 (GB) Version 2.0
R 1233zd
0072

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP/GHS]



GHS04

Signal word

Warning

Hazard statements for physical hazards

H280 Contains gas under pressure; may explode if heated.

Hazard statements for environmental hazards

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements

Prevention

P273 Avoid release to the environment.

Storage

P403 Store in a well-ventilated place.

! Hazardous ingredients for labeling

trans-1-Chloro-3,3,3-trifluoropropene (R 1233zd)

Supplemental Hazard information (EU)

Health properties

Asphyxiant in high concentrations.

Environmental properties

Contains fluorinated greenhouse gases.

2.3. Other hazards

! Adverse human health effects and symptoms

Contact with liquid may cause cold burns/frostbite.

The inhalation of gas / vapour in high concentrations may cause cardiac arrhythmia.

Misuse or intentional inhalation abuse may cause death without warning symptoms, due to cardiac effects.

Information pertaining to special dangers for human and environment

Gas/vapour heavier than air. May accumulate in confined spaces, particularly at or below ground level.

Receptacle under pressure.

Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

SECTION 3: Composition/ information on ingredients

3.1. Substances

Description

Content: > 99 %

CAS No 102687-65-0

trans-1-Chloro-3,3,3-trifluoropropene (R 1233zd)

EC No 700-486-0

Index No -

REACH registration number 01-2119855084-38

**Safety Data Sheet according to Regulation (EC)
No. 1907/2006 (REACH)**

Printed 24.02.2020
Revision 24.02.2020 (GB) Version 2.0
R 1233zd
0072

3.2. Mixtures
not applicable

! SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated soaked clothing immediately.
In the event of persistent symptoms receive medical treatment.
Adhere to personal protective measures when giving first aid.

In case of inhalation

Remove the casualty into fresh air and keep him immobile.
Seek medical treatment immediately.
In case of respiratory standstill give artificial respiration by respiratory bag (Ambu bag) or respirator. Send for a doctor.

! In case of skin contact

In case of contact with skin wash off with warm water.
In case of frostbite rinse with plenty of water. Don't remove clothing.
In case of frostbite spray with lukewarm (not hot) water for at least 15 minutes. Do not remove clothing frozen to the skin. Thaw it with lukewarm water. Apply a sterile dressing. Obtain medical assistance.

In case of eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Call for a doctor immediately.

In case of ingestion

Ingestion is not considered a potential route of exposure.

4.2. Most important symptoms and effects, both acute and delayed

! Physician's information / possible symptoms

The following symptoms may occur in case of strong exposition:

Unconsciousness
Cardiac arrhythmia (disordered cardiac rhythm).
Headache
Nausea
Confusion
Dizziness
Drowsiness
Contact with liquid may cause cold burns/frostbite.

Physician's information / possible dangers

Long-term inhaling of separation products may cause pulmonary oedema.

4.3. Indication of any immediate medical attention and special treatment needed

! Treatment (Advice to doctor)

Treat symptoms.
Do not give any preparations of the adrenalin-ephedrine group.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Product does not burn, fire-extinguishing activities according to surrounding.
Foam
Dry powder
Carbon dioxide
Water spray jet

Safety Data Sheet according to Regulation (EC)

No. 1907/2006 (REACH)

Printed 24.02.2020
Revision 24.02.2020 (GB) Version 2.0

R 1233zd

0072

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of fire formation of dangerous gases possible.

Carbon monoxide (CO)

Carbon dioxide (CO₂)

Hydrogen chloride (HCl)

Hydrogen fluoride (HF)

Carbonyl fluoride.

5.3. Advice for firefighters

Special protective equipment for fire-fighters

Use breathing apparatus with independent air supply (isolated).

Wear full protective clothing.

Additional information

Cool endangered containers with water spray jet.

Exposure to fire may cause containers to rupture / explode.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

! SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Evacuate area.

Keep people away and stay on the upwind side.

! For emergency responders

Remove persons to safety.

Personal protection by wearing close-fitting protective clothing and breathing apparatus.

Pay attention to extension of gas especially at ground (heavier than air) and in direction of the wind.

6.2. Environmental precautions

If possible, stop flow of product.

Do not discharge into the drains/surface waters/groundwater.

Prevent spread over a wide area (e.g. by containment or oil barriers).

Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous.

If necessary, secure leaky pressure receptacles in a salvage packaging.

Do not discharge into the subsoil/soil.

6.3. Methods and material for containment and cleaning up

Ensure adequate air ventilation.

Allow to vaporise.

6.4. Reference to other sections

Safe handling: see section 7

Disposal: see section 13

Personal protection equipment: see section 8

**Safety Data Sheet according to Regulation (EC)
No. 1907/2006 (REACH)**

Printed 24.02.2020
Revision 24.02.2020 (GB) Version 2.0
R 1233zd
0072

! SECTION 7: Handling and storage

7.1. Precautions for safe handling

! Advice on safe handling

Use only in thoroughly ventilated areas.
Transfer and handle only in enclosed systems.
Containers' temperature may not be increased above 50 °C.
The working pressure in the receptacle must not exceed the saturation vapour pressure of the pure product resulting at a temperature of 50 °C.
Provide good room ventilation even at ground level (vapours are heavier than air).
Prevent cylinders from falling over.
Avoid release to the environment.
Ensure valve protection device is correctly fitted.
Ensure valve outlet cap nut or plug (where provided) is correctly fitted.
Open valve slowly to avoid pressure shock.
Do not allow backfeed into the container.
Suck back of water into the container must be prevented.
No water to valves, flanges and other fittings.
Purging of pipes and valves with inert gases - to avoid: water, solvents.

General protective measures

Do not inhale gases/vapours/aerosols.

Hygiene measures

At work do not eat, drink and smoke.
Wash hands before breaks and after work.

Advice on protection against fire and explosion

The product is not combustible.
Pay attention to general rules of internal fire prevention.

7.2. Conditions for safe storage, including any incompatibilities

! Requirements for storage rooms and vessels

Keep in closed original container.
Only use containers that are approved specifically for the substance/product.
Other material details see ISO 11114.
All regulations and local requirements for the storage of containers have to be respected.

Advice on storage compatibility

Do not store together with combustible materials.
Do not store together with spontaneously flammable materials.
Do not store together with animal feedstuffs.
Do not store together with explosives.
Do not store together with infectious substances.
Do not store together with radioactive material.
Do not store together with toxic liquids or toxic solids.
Do not store together with food.
Do not store together with oxidizing liquids or oxidizing solids.

! Further information on storage conditions

Ensure valve protection device is correctly fitted.
Store closed container at cool and aired place.
Store only in original container at temperature of 50°C maximum (=122°F).
Protect from heat and direct solar radiation.
Prevent cylinders from falling over.

7.3. Specific end use(s)

Recommendation(s) for intended use

Use in accordance with regulation (EU) No 517/2014 on fluorinated greenhouse gases.

**Safety Data Sheet according to Regulation (EC)
No. 1907/2006 (REACH)**

Printed 24.02.2020
Revision 24.02.2020 (GB) Version 2.0
R 1233zd
0072

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL-/PNEC-values

DNEL worker

CAS No	Substance name	Value	Code	Remark
102687-65-0	trans-1-Chloro-3,3,3-trifluoropropene (R 1233zd)	1779 mg/m ³	DNEL long-term inhalative (systemic)	Assessment factor 6, repeated dose toxicity.

DNEL Consumer

CAS No	Substance name	Value	Code	Remark
102687-65-0	trans-1-Chloro-3,3,3-trifluoropropene (R 1233zd)	379 mg/m ³	DNEL long-term inhalative (systemic)	Assessment factor 10, repeated dose toxicity.
		109 mg/kg bw/day	DNEL long-term oral (repeated)	Assessment factor 40, repeated dose toxicity.

PNEC

CAS No	Substance name	Value	Code	Remark
102687-65-0	trans-1-Chloro-3,3,3-trifluoropropene (R 1233zd)	0,691 mg/kg dw	PNEC sediment, freshwater	
		0,126 mg/kg dw	PNEC soil	
		0,069 mg/kg dw	PNEC sediment, marine water	
		0,004 mg/l	PNEC aquatic, marine water	Assessment factor 10000
		0,38 mg/l	PNEC aquatic, intermittent release	Assessment factor 100
		0,038 mg/l	PNEC aquatic, freshwater	Assessment factor 1000

8.2. Exposure controls

Respiratory protection

Breathing apparatus in the event of high concentrations.

Keep self contained breathing apparatus readily available for emergency use.

Do not use any filter apparatus.

Respiratory protection complying with EN 136, 140, 149.

In case of rescue and maintenance activities in storage containers use environment-independent breathing apparatus because of risk of suffocation by edging out of air oxygen

Hand protection

Leather gloves

Safety gloves according to EN 388

Eye protection

Protective goggles according to EN 166, in case of increased risk add protective face shield.

Other protection measures

Safety shoes with steel toe.

Body covering work clothing, or chemical resistant suit at increased risk.

Appropriate engineering controls

Transfer and handle only in enclosed systems.

**Safety Data Sheet according to Regulation (EC)
No. 1907/2006 (REACH)**

Printed 24.02.2020
Revision 24.02.2020 (GB) Version 2.0
R 1233zd
0072

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Gaseous / liquefied under pressure.	Colour colourless	Odour perceptible
--	-----------------------------	-----------------------------

Odour threshold
not determined

Important health, safety and environmental information

	Value	Temperature	at	Method	Remark
pH value	not applicable				
boiling point	19 °C		1013 hPa	OECD 103	
melting point	< -90 °C			OECD 102	
Flash point	not applicable				
Vapourisation rate	not applicable				
Flammable (solid)	not applicable				
Flammability (gas)	no				
Ignition temperature	380 °C			DIN 51794	
Self ignition temperature	no				
Lower explosion limit	no				
Upper explosion limit	no				
Vapour pressure	1065 hPa	20 °C			
Relative density	1,27 g/cm ³				
Bulk density	not applicable				
Vapour density	not determined				air = 1
Solubility in water	1,9 g/l	20 °C		OECD 105	
Solubility/other	not determined				
Partition coefficient n-octanol/water (log P O/W)	2,2	25 °C			

**Safety Data Sheet according to Regulation (EC)
No. 1907/2006 (REACH)**

Printed 24.02.2020
Revision 24.02.2020 (GB) Version 2.0
R 1233zd
0072



	Value	Temperature	at	Method	Remark
Decomposition temperature	not determined				
Viscosity dynamic	not applicable				
Oxidising properties	no				
Explosive properties	no				
9.2. Other information	Vapours are heavier than air.				

! SECTION 10: Stability and reactivity

10.1. Reactivity

See section "Possibility of hazardous reactions".

10.2. Chemical stability

Stable under recommended conditions of use and storage (see section 7).
Risk of polymerisation.

10.3. Possibility of hazardous reactions

Reactions with strong oxidising agents.

10.4. Conditions to avoid

May form a flammable mixture with air, oxygen or other oxidants at high pressure.
Heat sources / heat - risk of bursting.
Avoid contact with open flames, glowing metal surfaces, etc..

10.5. Incompatible materials

! Substances to avoid

Aluminium
Magnesium
Strong oxidizing agents.

10.6. Hazardous decomposition products

When handled and stored appropriately, no dangerous decomposition products are known.

Thermal decomposition

Remark No decomposition if used as directed.

! SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity/Irritation/Sensitization

Safety Data Sheet according to Regulation (EC)

No. 1907/2006 (REACH)

Printed 24.02.2020
 Revision 24.02.2020 (GB) Version 2.0

R 1233zd
 0072



	Value/Validation	Species	Method	Remark
LD50 acute oral	Study technically not feasible.			
LD50 acute dermal	Study technically not feasible.			
LC50 acute inhalation	120000 ppm (4 h)	rat (male / female)	OECD 403	
Skin irritation	no	rabbit	OECD 404	
Eye irritation	Study technically not feasible.			
Skin sensitization	non-sensitizing	Homo sapiens	Repeated Insult Patch Test	
Sensitization respiratory system	not determined			

Subacute Toxicity - Carcinogenicity

	Value	Species	Method	Validation
Subchronic Toxicity	LOAEL 4000 ppm (90 d) Inhalation 6 h/d, 5 d/w	Rat (male / female)	OECD 413	No effects of toxicological significance.
Mutagenicity	Inhalation.		OECD 471 / 473 /474	No experimental information on genotoxicity in vitro and in vivo available.
Reproduction-Toxicity	NOEL 15000 ppm Inhalation. 6 h/d, 5 d/w	Rat (male / female)	OECD 414 / 416	No indications of toxic effects were observed in reproduction studies in animals.

Carcinogenicity not determined

Specific target organ toxicity (single exposure)

Substance or mixture is not classified in GHS-criteria as specific target organ toxic with single exposure.

Specific target organ toxicity (repeated exposure)

Substance or mixture is not classified in GHS-criteria as specific target organ toxic with repeated exposure.

Aspiration hazard

not applicable

Experiences made from practice

Gases have a suffocating effect.

Safety Data Sheet according to Regulation (EC)

No. 1907/2006 (REACH)

Printed 24.02.2020

Revision 24.02.2020 (GB) Version 2.0

R 1233zd

0072

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicological effects

	Value	Species	Method	Validation
Fish	LC50 38 mg/l (96 h)	Oncorhynchus mykiss	OECD 203	
Daphnia	EC50 82 mg/l (48 h)	Daphnia magna	OECD 202	
Algae	EC50 > 215 mg/l (72 h)	Pseudokirchneriella subcapitata	OECD 201	

12.2. Persistence and degradability

	Elimination rate	Method of analysis	Method	Validation
Biological degradability	0 % (28 d)		OECD 301 D	not readily degradable

12.3. Bioaccumulative potential

No high bioaccumulation potential.

Because of the n-octanol/water distribution coefficient (log K_{ow}) accumulation in organisms is not expected.

12.4. Mobility in soil

not determined

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6. Other adverse effects

ODP: 0,02

GWP: 4,5

Behaviour in sewage plant

When discharged into biological sewage treatment plants, interference with the degradation activity of activated sludge is possible, depending on the local conditions and concentrations involved.

General regulation

Avoid release to the environment.

! SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste code No.

14 06 01*

Name of waste

chlorofluorocarbons, HCFC, HFC

Wastes marked with an asterisk are considered to be hazardous waste pursuant to Directive 2008/98/EC on hazardous waste.

Recommendations for the product

Dispose of as hazardous waste.

Return to manufacturer.

Recommendations for packaging

Transportable pressure equipment (empty, residual pressure): Return to supplier / manufacturer.

! General information

Operators of stationary equipment shall be responsible for putting in place arrangements for the proper recovery.

**Safety Data Sheet according to Regulation (EC)
No. 1907/2006 (REACH)**

Printed 24.02.2020
Revision 24.02.2020 (GB) Version 2.0
R 1233zd
0072

! SECTION 14: Transport information

	ADR/RID	IMDG	IATA-DGR
14.1. UN number	1078	1078	1078
14.2. UN proper shipping name	REFRIGERANT GAS, N.O. S. (trans-1-Chlor-3,3,3- trifluorpropen)	REFRIGERANT GAS, N.O.S. (trans-1-Chloro-3,3,3- trifluoropropene)	Refrigerant gas, n.o.s. (trans-1-Chloro-3,3,3- trifluoropropene)
14.3. Transport hazard class(es)	2.2	2.2	2.2
14.4. Packing group	-	-	-
14.5. Environmental hazards	No	No	No

14.6. Special precautions for user

The protective measures listed in Sections 6, 7 and 8 of the Safety Data Sheet have to be considered.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

No transport as bulk according IBC - Code.

Land and inland navigation transport ADR/RID

Hazard label(s) 2.2

tunnel restriction code C/E

Classification code 2A

Marine transport IMDG

EmS: F-C, S-V

! SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

! Other regulations (EU)

Regulation (EU) No 517/2014 on fluorinated greenhouse gases.

! VOC standard

VOC content ca.99 % 20 °C 1065 hPa

15.2. Chemical Safety Assessment

For this substance a chemical safety assessment has been carried out.

An exposure scenario is not required.

! SECTION 16: Other information

Recommended uses and restrictions

Use in accordance with regulation (EU) No 517/2014 on fluorinated greenhouse gases.

National and local regulations concerning chemicals shall be observed.

Further information

All declarations of safety-data-sheet refer to pure substance.

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

Indication of changes: "!" = Data changed compared with the previous version. Previous version: 1.0

**Safety Data Sheet according to Regulation (EC)
No. 1907/2006 (REACH)**

Printed 24.02.2020
Revision 24.02.2020 (GB) Version 2.0
R 1233zd
0072



! Sources of key data used

For the preparation of this safety data sheet, information from our suppliers as well as data from the "database of registered substances" of the European Chemicals Agency (ECHA) were used.