

Mono-methylamine

Print date 25.09.2024
Revision date 25.09.2024
Version 17.0 (en)
replaces version of 18.03.2024 (16.0)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name/designation	Mono-methylamine
Art-Nr(n).	1130, 70113
Substance name	mono-methylamine
Index No	612-001-00-9
EC No	200-820-0
REACH No.	01-2119475496-25
CAS No	74-89-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Use only as an intermediate under strictly controlled conditions.

1.3 Details of the supplier of the safety data sheet

Supplier

GHC Gerling, Holz & Co. Handels GmbH
Ruhrstraße 113
D-22761 Hamburg
Telephone +49 40 853 123 0
E-mail hamburg@ghc.de
Website www.ghc.com

Department responsible for information:
GHC Gerling, Holz & Co. Handels GmbH
Telephone +49 40 853 123 0

E-mail (competent person):
msds@ghc.de

1.4 Emergency telephone number

EN: Poison Information Center Mainz +49 6131 19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]	Classification procedure
--	--------------------------

Flam. Gas 1A, H220

Press. Gas (Liq.), H280

Acute Tox. 3, H331

Skin Irrit. 2, H315

Eye Dam. 1, H318

STOT SE 3, H335

Hazard statements for physical hazards

H220 Extremely flammable gas.

H280 Contains gas under pressure; may explode if heated.

Hazard statements for health hazards

H315 Causes skin irritation.

H318 Causes serious eye damage.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

Mono-methylamine

Print date 25.09.2024
 Revision date 25.09.2024
 Version 17.0 (en)
 replaces version of 18.03.2024 (16.0)

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008 [CLP]****Hazard pictograms**

GHS02



GHS05



GHS06

Signal word

Danger

Hazard statements

H220 Extremely flammable gas.
 H280 Contains gas under pressure; may explode if heated.
 H315 Causes skin irritation.
 H318 Causes serious eye damage.
 H331 Toxic if inhaled.
 H335 May cause respiratory irritation.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 P260 Do not breathe gas/vapours.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P315 Get immediate medical advice/attention.
 P405 Store locked up.

Supplemental hazard information

Please return container with residual pressure.

2.3 Other hazards**Adverse human health effects and symptoms**

Gas/vapour heavier than air. May accumulate in confined spaces, particularly at or below ground level.
 Contact with liquid may cause cold burns/frostbite.

Other adverse effects

The substance/mixture does not contain components identified as having endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1% or more.

Results of PBT and vPvB assessment

The substance/mixture does not contain components meeting the PBT/vPvB criteria of the Reach Regulation, Annex XIII, at levels of 0.1% or higher.

SECTION 3: Composition / information on ingredients**3.1 Substances**

Substance name	mono-methylamine
Index No	612-001-00-9
EC No	200-820-0
REACH No.	01-2119475496-25
CAS No	74-89-5
Specific concentration limit (SCL)	Skin Irrit. 2;H315: C>=5% Eye Dam. 1;H318: C>=5% Eye Irrit. 2;H319: 0.5%<=C<5% STOT SE 3;H335: C>=5%
ATE	ATE(inhalation gas): 2.1- 2.9 mg/L

Mono-methylamine

Print date 25.09.2024
Revision date 25.09.2024
Version 17.0 (en)
replaces version of 18.03.2024 (16.0)

Additional information

Content: >= 99,5 %

3.2 Mixtures

not applicable

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated, saturated clothing immediately.
In the event of persistent symptoms obtain medical treatment.
First aider: Pay attention to self-protection!

Following inhalation

Remove casualty to fresh air and keep warm and at rest.
In the event of pulmonary irritation treat initially with corticoid spray, e.g. Ventolair- or Pulmicort- metered-dose aerosol (Ventolair and Pulmicort are registered trademarks).
In case of respiratory standstill give artificial respiration by respiratory bag (Ambu bag) or respirator. Obtain medical assistance.

Following skin contact

In case of skin contact rinse with warm water.
In case of frostbite, wash with plenty of water; do not remove clothing.
In case of frostbite rinse with lukewarm (not hot) water for at least 15 minutes. Do not remove clothing frozen to the skin.
Thaw with lukewarm water. Apply a sterile dressing. Obtain medical assistance.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical assistance.

Following ingestion

Ingestion is not considered a potential route of exposure.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

Dyspnoea
Strong eye irritation.
Respiratory tract irritation

Effects

Pulmonary oedema

4.3 Indication of any immediate medical attention and special treatment needed

Notes for the doctor

Treat symptomatically.
Pulmonary oedema prophylaxis.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Extinguishing powder
alcohol resistant foam
Water spray jet

Unsuitable extinguishing media

Carbon dioxide (CO₂)
Full water jet

Mono-methylamine

Print date 25.09.2024
Revision date 25.09.2024
Version 17.0 (en)
replaces version of 18.03.2024 (16.0)

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

In case of fire formation of dangerous gases possible.
Nitrogen oxides (NO_x)
Carbon monoxide
Carbon dioxide (CO₂)

5.3 Advice for firefighters

Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

If possible, shut off gas valves and move containers to a safe location.
Use water spray jet to protect personnel and to cool endangered containers.
Exposure to fire may cause rupture / explosion of the containers.
Do not extinguish a leaking gas flame unless absolutely necessary. Spontaneous/explosive re-ignition may occur. Extinguish any other fire.
Dispose of fire residues and contaminated extinguishing water in accordance with local, official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Use personal protection equipment.
Leave the danger area.
Keep people away and stay on the upwind side.

For emergency responders

Personal protection by wearing close-fitting protective clothing and breathing apparatus.
Pay attention to extension of gas especially at ground (heavier than air) and in direction of the wind.
Eliminate all ignition sources if safe to do so.
Remove persons to safety.

6.2 Environmental precautions

If possible, stop flow of product.
Do not allow to enter into surface water or drains.
Do not allow to enter into soil/subsoil.

6.3 Methods and material for containment and cleaning up

For containment

If necessary, secure leaky pressure receptacles using a salvage container.
Prevent the liquid from spreading over a wide area (set up barriers, cover sewage systems).
Limit expansion of the gas (water spray jet).

For cleaning up

Leave to vapourize.
Provide adequate ventilation.

6.4 Reference to other sections

Disposal: see section 13
Personal protection equipment: see section 8

SECTION 7: Handling and storage

Mono-methylamine

Print date 25.09.2024
Revision date 25.09.2024
Version 17.0 (en)
replaces version of 18.03.2024 (16.0)

7.1 Precautions for safe handling**Protective measures**

Use only in well-ventilated areas.
Transfer and handle product only in closed systems.
Usual measures for fire prevention.
Containers' temperature should not be increased above 50 °C.
The working pressure in the receptacle must not exceed the saturation vapour pressure of the pure product resulting at a temperature of 50 °C.
Prevent cylinders from falling over.
Take precautionary measures against static discharges. Ground barrels and installations. Use only antistatically equipped (spark-free) tools.
Use explosion-proof machinery, apparatus, ventilation facilities, tools etc.
Ensure valve protection device is correctly fitted.
Ensure valve outlet cap nut or plug (where provided) is correctly fitted.
Open valve slowly to avoid pressure shock.
Do not allow backflow into the container.
Entering of water into the container must be prevented.
No water to valves, flanges and other fittings.
Purging of pipes and valves with inert gases - to avoid: water, solvents.

Advices on general occupational hygiene

When using do not eat, drink, smoke, sniff.
Wash hands before breaks and after work.
Remove contaminated clothing and protective equipment before entering eating areas.

7.2 Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

All regulations and local requirements for the storage of containers have to be respected.
Keep container tightly closed and in a well-ventilated place.
Containers' temperature should not be increased above 50 °C.
Prevent cylinders from falling over.
Only use containers specifically approved for the substance/product.
Information on suitable materials for receptacles and valves see ISO 11114.

Materials to avoid

Do not store together with explosives.
Do not store together with flammable liquids.
Do not store together with flammable solids.
Do not store together with pyrophoric and self-heating substances.
Do not store together with oxidizing liquids or oxidizing solids.
Do not store together with toxic liquids or toxic solids.
Do not store together with infectious substances.
Do not store together with radioactive material.
Do not store together with food or feed.

7.3 Specific end use(s)**Recommendation**

An exposure scenario is not required.
Use only as an intermediate under strictly controlled conditions.

*** SECTION 8: Exposure controls/personal protection***** 8.1 Control parameters***** Occupational exposure limit values**

CAS No	EC No	Substance name	occupational exposure limit value
74-89-5	200-820-0	Methylamine	5 [ml/m ³ (ppm)] 6 [mg/m ³] Short-term(ml/m ³) 15 (1) Short-term(mg/m ³) 19 (1) (1) 15 minutes reference period (IE)

Mono-methylamine

Print date 25.09.2024
Revision date 25.09.2024
Version 17.0 (en)
replaces version of 18.03.2024 (16.0)

CAS No	EC No	Substance name	occupational exposure limit value
74-89-5	200-820-0	Methylamine	[10] [ml/m ³ (ppm)] [13] [mg/m ³] The UK Advisory Committee on Toxic Substances has expressed concern that, for the OELs shown in parentheses, health may not be adequately protected because of doubts that the limit was not soundly-based. These OELs were included in the published UK 2002 list and its 2003 supplement, but are omitted from the published 2005 list. (UK)

DNEL worker

CAS No	Substance name	DNEL value	DNEL type	Remark
74-89-5	mono-methylamine	0.77 mg/kg bw/day	long-term dermal (systemic)	Assessment factor 300, assessment factor.
74-89-5	mono-methylamine	3.2 mg/m ³	long-term inhalative (local)	Assessment factor 30, assessment factor.
74-89-5	mono-methylamine	0.72 mg/m ³	long-term inhalative (systemic)	Assessment factor 225, assessment factor.

PNEC

CAS No	Substance name	PNEC Value	PNEC type	Remark
74-89-5	mono-methylamine	0.282 mg/L	aquatic, freshwater	Assessment factor 1000, assessment factor.
74-89-5	mono-methylamine	2.818 mg/L	aquatic, intermittent release	Assessment factor 100, assessment factor.
74-89-5	mono-methylamine	0.028 mg/L	aquatic, marine water	Assessment factor 10000, assessment factor.
74-89-5	mono-methylamine	13.667 mg/kg dw	sediment, freshwater	
74-89-5	mono-methylamine	1.367 mg/kg dw	sediment, marine water	
74-89-5	mono-methylamine	2.4 mg/L	sewage treatment plant (STP)	Assessment factor 100, assessment factor.
74-89-5	mono-methylamine	2.22 mg/kg dw	soil	

8.2 Exposure controls**Appropriate engineering controls****Technical measures to prevent exposure**

Transfer and handle only in enclosed systems.
Use only as an intermediate under strictly controlled conditions.

Personal protection equipment**Eye/face protection**

Protective goggles according to EN 166, in case of increased risk add protective face shield.

Hand protection

Safety gloves according to EN 374:
Glove material specification [type, thickness, permeation time/life]: FKM, >= 0,7 mm, > 480 min

Body protection:

Safety shoes with steel toecap.
Body covering work clothing or chemical resistant suit at increased risk.

Mono-methylamine

Print date 25.09.2024
Revision date 25.09.2024
Version 17.0 (en)
replaces version of 18.03.2024 (16.0)

Respiratory protection

Keep self contained breathing apparatus readily available for emergency use.

Respiratory protection necessary at:
high concentrations

Respiratory protection complying with EN 137.

Short term: filter apparatus, filter K

In case of rescue and maintenance activities in storage containers use environment-independent breathing apparatus because of risk of suffocation due to displacement of oxygen.

Thermal hazards

Use cold-resistant protective equipment.

Environmental exposure controls**Remark**

Prevent release to the environment.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties****Physical state**

Gaseous / liquefied under pressure.

Colour

colourless

Odour

like:

Ammonia

Safety relevant basis data

	Value	Method	Source, Remark
Odour threshold:			not determined
Melting point/freezing point			not applicable
Boiling point or initial boiling point and boiling range	-6.3 °C		
flammability			Extremely flammable gas (H220).
Lower and upper explosion limit	Upper explosion limit 20.7 Vol-%		
Lower and upper explosion limit	Lower explosion limit 4.9 Vol-%		
Flash point			not applicable
Auto-ignition temperature	430 °C		
Decomposition temperature			No decomposition if used as directed.
pH			not applicable
Viscosity			not applicable
Solubility(ies)	Water solubility 1080 g/L (20°C)		
Partition coefficient n-octanol/water (log value)	-0.57		
Vapour pressure	3001 hPa (20°C)		
Density and/or relative density			not applicable
Relative vapour density	1.1		air = 1
particle characteristics			not applicable

Mono-methylamine

Print date 25.09.2024
Revision date 25.09.2024
Version 17.0 (en)
replaces version of 18.03.2024 (16.0)

9.2 Other information**Information with regard to physical hazard classes****Gases under pressure****Safety characteristics**

	Value	Method, Result	Source, Remark
Critical temperature	156.9 °C		

Other information

Vapours are heavier than air.

SECTION 10: Stability and reactivity**10.1 Reactivity**

May form an explosive mixture with air.

10.2 Chemical stability

The substance is chemically stable under recommended conditions of storage, use and temperature.

10.3 Possibility of hazardous reactions

Reactions with numerous chemical compounds.
May react violently with oxidants.
Reactions with alkali metals.
Reactions with alcohols.

10.4 Conditions to avoid

Heat sources / heat - risk of bursting.
Ignition sources, open flames, glowing metal surfaces, etc.

10.5 Incompatible materials

Acetylene
Hydrogen bromide (HBr)
Chlorine
Fluorine
Nitrogen oxides (NO_x)

10.6 Hazardous decomposition products

When handled and stored appropriately, no dangerous decomposition products are known.

SECTION 11: Toxicological information**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity****Animal data**

	Effective dose	Method, Evaluation	Source, Remark
Acute oral toxicity			Study technically not feasible.
Acute dermal toxicity			Study technically not feasible.
Acute inhalation toxicity	CAS No74-89-5 mono-methylamine Acute inhalation toxicity (gas) LC50: 2.1- 2.9 mg/L Species Rat Exposure time 4 h	OECD 403	

Mono-methylamine

Print date 25.09.2024
Revision date 25.09.2024
Version 17.0 (en)
replaces version of 18.03.2024 (16.0)

Assessment/classification

Toxic if inhaled.

Skin corrosion/irritation**Assessment/classification**

Causes skin irritation.

Serious eye damage/irritation**Assessment/classification**

Causes serious eye damage.

Sensitisation to the respiratory tract**Assessment/classification**

No data available

Skin sensitisation**Other information**

Study scientifically not necessary.

Germ cell mutagenicity

	Value	Method	Result / Evaluation	Remark
In vitro mutagenicity/genotoxicity	Species Salmonella typhimurium	OECD 471	negative	
In vivo mutagenicity/genotoxicity	Species Mouse	OECD 474	negative	

Assessment/classification

Based on available data, the classification criteria are not met.

Carcinogenicity**Assessment/classification**

No data available

Reproductive toxicity**Animal data**

	Value	Method	Result / Evaluation	Remark
Reproductive toxicity	oral NOEL 500 mg/kg Species Rat	OECD 422		Analogous to a similar product.

Assessment/classification

Based on available data, the classification criteria are not met.

STOT-single exposure**STOT SE 1 and 2****Assessment/classification**

Based on available data, the classification criteria are not met.

STOT SE 3**Irritation to respiratory tract****Assessment/classification**

May cause respiratory irritation.

STOT-repeated exposure**Assessment/classification**

Based on available data, the classification criteria are not met.

Mono-methylamine

Print date 25.09.2024
Revision date 25.09.2024
Version 17.0 (en)
replaces version of 18.03.2024 (16.0)

Aspiration hazard**Remark**

Study technically not feasible.

11.2 Information on other hazards

No data available

*** SECTION 12: Ecological information****12.1 Toxicity****Aquatic toxicity**

	Effective dose	Method, Evaluation	Source, Remark
Acute (short-term) fish toxicity	LC50: 16 mg/L Species <i>Leuciscus idus</i> (golden orfe) Test duration 48 h	OECD 203	
Chronic (long-term) fish toxicity	not determined		
Acute (short-term) toxicity to crustacea	EC50 163 mg/L Species <i>Daphnia magna</i> (Big water flea) Test duration 48 h	DIN 38412 T.11	
Chronic (long-term) toxicity to aquatic invertebrate	not determined		
Acute (short-term) toxicity to algae and cyanobacteria	EC50 46.7 mg/L Species <i>Desmodesmus subspicatus</i> Test duration 72 h	OECD 201	
Chronic (long-term) toxicity to aquatic algae and cyanobacteria	not determined		
Toxicity to other aquatic plants/organisms	not determined		
Toxicity to microorganisms	EC20 240 mg/L Species activated sludge (kom.) Test duration 30 min	ISO 8192	

*** 12.2 Persistence and degradability**

	Value	Method	Source, Remark
Biodegradation	Degradation rate 84- 100 % Test duration 14 d	OECD 301C/ ISO 9408/ EEC 92/69/V, C.4-F	Analogous to a similar product.

Assessment/classification

Readily biodegradable (according to OECD criteria).

12.3 Bioaccumulative potential

	Value	Method	Source, Remark
Bioconcentration factor (BCF)	Bioconcentration factor (BCF) 3.16	QSAR	CAS No74-89-5 mono-methylamine

Assessment/classification

Based on the n-octanol/water partition coefficient accumulation in organisms is not expected.

12.4 Mobility in soil

	Value	Distribution	Transport type	Method	Remark
Half-life time in soil	CAS No74-89-5 mono-methylamine 389			KOC value	

Mono-methylamine

Print date 25.09.2024
 Revision date 25.09.2024
 Version 17.0 (en)
 replaces version of 18.03.2024 (16.0)

12.5 Results of PBT and vPvB assessment

The substance/mixture does not contain components meeting the PBT/vPvB criteria of the Reach Regulation, Annex XIII, at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Waste codes/waste designations according to EWC/AVV**

Waste code product	Waste name
160504 *	gases in pressure containers (including halons) containing hazardous substances

Appropriate disposal / Product

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.
 Prevent release to the environment. No disposal via the sewage.
 Disposal according to local regulations.

Appropriate disposal / Package

Transportable pressure equipment (empty, residual pressure): Return to supplier / manufacturer.

SECTION 14: Transport information

	Land transport (ADR/RID)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1 UN number or ID number	UN 1061	UN 1061	UN 1061
14.2 UN proper shipping name	METHYLAMINE, ANHYDROUS	METHYLAMINE, ANHYDROUS	Methylamine, anhydrous
14.3 Transport hazard class(es)	2.1	2.1	2.1
14.4 Packing group	-	-	-
14.5 Environmental hazards	No	No	No

14.6 Special precautions for user

The protective measures listed in Sections 6, 7 and 8 of the Safety Data Sheet have to be considered.

14.7 Maritime transport in bulk according to IMO instruments

No carriage in bulk.

Land transport (ADR/RID)

UN number or ID number	UN 1061
UN proper shipping name	METHYLAMINE, ANHYDROUS
Transport hazard class(es)	2.1
Hazard label(s)	2.1
Classification code	2F
Packing group	-
Environmental hazards	No
Limited quantity (LQ)	0
Special provisions	662
Tunnel restriction code	B/D

Mono-methylamine

Print date 25.09.2024
 Revision date 25.09.2024
 Version 17.0 (en)
 replaces version of 18.03.2024 (16.0)

Sea transport (IMDG)

UN number or ID number	UN 1061
UN proper shipping name	METHYLAMINE, ANHYDROUS
Transport hazard class(es)	2.1
Packing group	-
Environmental hazards	No
Limited quantity (LQ)	0
Marine pollutant	No
EmS	F-D, S-U

Air transport (ICAO-TI / IATA-DGR)

UN number or ID number	UN 1061
UN proper shipping name	Methylamine, anhydrous
Transport hazard class(es)	2.1
Packing group	-
Environmental hazards	No

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU legislation****Restrictions of occupation**

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.
 Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

Other regulations (EU)**To follow:**

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), Annex XVII No 40.
 Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances.
 National and local regulations concerning chemicals shall be observed.

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive] VOC

VOC-value $\geq 99.5\%$

15.2 Chemical Safety Assessment**National regulations**

For this substance a chemical safety assessment is not required.

SECTION 16: Other information**Abbreviations and acronyms**

Flam. Gas 1A: Flammable gas, Category 1A
 Press. Gas (Liq.): Liquefied gas (LG)
 Skin Irrit. 2: Skin irritation, Category 2
 Eye Dam. 1: Serious eye damage, Category 1
 STOT SE 3, H335: Specific target organ toxicity (single exposure), Category 3
 Aquatic Chronic 3: Long-term (chronic) aquatic hazard, Category 3
 Acute Tox. 3, H331: Acute Toxicity (inhalation), Category 3
 Acute Tox. 4, H332: Acute Toxicity (inhalation), Category 4

Key literature references and sources for data

Information from our suppliers and data from the "GESTIS Substances Database" and the "Registered Substances" database of the European Chemicals Agency (ECHA) were used to create this safety data sheet.

Mono-methylamine

Print date 25.09.2024
Revision date 25.09.2024
Version 17.0 (en)
replaces version of 18.03.2024 (16.0)

Additional information

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

Relevant H- and EUH-phrases (Number and full text)

H220	Extremely flammable gas.
H280	Contains gas under pressure; may explode if heated.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.

Indication of changes

* Data changed compared with the previous version