

Protectogen® C aqua

Print date 19.04.2023
 Revision date 19.04.2023
 Version 7.0 (en)
 replaces version of 09.09.2021 (6.0)

*** SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier**

Trade name/designation Protectogen® C aqua
Art-Nr(n). 1670

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture
 Corrosion inhibitor
 Functional fluid.

1.3 Details of the supplier of the safety data sheet**Supplier**

GHC Gerling, Holz & Co. Handels GmbH
 Ruhrstraße 113
 D-22761 Hamburg
 Telephone +49 40 853 123 0
 E-mail hamburg@ghc.de
 Website www.ghc.com

Department responsible for information:
 GHC Gerling, Holz & Co. Handels GmbH
 Telephone +49 40 853 123 0

E-mail (competent person):
 msds@ghc.de

*** 1.4 Emergency telephone number**

EN: Poison Information Center Mainz +49 6131 19240

*** SECTION 2: Hazards identification***** 2.1 Classification of the substance or mixture***** Remark**

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

2.2 Label elements

No data available

*** 2.3 Other hazards***** Other adverse effects**

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Results of PBT and vPvB assessment

The substance/mixture does not contain components meeting the PBT/vPvB criteria of the Reach Regulation, Annex XIII, at levels of 0.1% or higher.

*** SECTION 3: Composition / information on ingredients****3.1 Substances**

not applicable

*** 3.2 Mixtures****Hazardous ingredients**

CAS No.	EC No.	Substance name	Concentration	Classification according to Regulation (EC) No 1272/2008 [CLP]	SCL/ M/ ATE
7631-99-4	231-554-3	sodium nitrate	≥ 1 < 10 weight-%	Ox. Sol. 3; H272 Eye Irrit. 2; H319	ATE(oral): > 3430 mg/kg ATE(dermal): > 5000 mg/kg

Protectogen® C aqua

Print date 19.04.2023
 Revision date 19.04.2023
 Version 7.0 (en)
 replaces version of 09.09.2021 (6.0)

CAS No.	EC No.	Substance name	Concentration	Classification according to Regulation (EC) No 1272/2008 [CLP]	SCL/ M/ ATE
29385-43-1	249-596-6	methyl-1H-benzotriazole	≥ 1 < 2.5 weight-%	Acute Tox. 4; H302 Repr. 2; H361d Aquatic Chronic 2; H411	ATE(oral): approx. 720 mg/kg ATE(dermal): > 2000 mg/kg
REACH No.		Substance name			
01-2119488221-41		sodium nitrate			
01-2119979081-35		methyl-1H-benzotriazole			

Remark

The text of the H- and EUH-phrases is shown in section 16.
 Aqueous solution of organic and inorganic salts.

*** SECTION 4: First aid measures***** 4.1 Description of first aid measures****General information**

Remove contaminated, saturated clothing immediately.
 First aider: Pay attention to self-protection!

*** Following inhalation**

Remove casualty to fresh air and keep warm and at rest.
 In the event of symptoms refer for medical treatment.

*** Following skin contact**

After contact with skin, wash immediately with plenty of water and soap.
 In case of skin irritation, consult a physician.

*** After eye contact**

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical assistance.

Following ingestion

Rinse mouth immediately and drink plenty of water.
 Call a physician immediately.

*** 4.2 Most important symptoms and effects, both acute and delayed****Symptoms**

The following symptoms may occur in case of strong exposition:
 Vomiting

*** 4.3 Indication of any immediate medical attention and special treatment needed***** Notes for the doctor**

Treat symptomatically.

*** SECTION 5: Firefighting measures***** 5.1 Extinguishing media***** Suitable extinguishing media**

The product itself does not burn. The product itself does not burn. Match extinguishing measures to surrounding fire.
 Extinguishing powder
 Water spray jet
 alcohol resistant foam
 Carbon dioxide (CO₂)

Unsuitable extinguishing media

Full water jet

Protectogen® C aqua

Print date 19.04.2023
Revision date 19.04.2023
Version 7.0 (en)
replaces version of 09.09.2021 (6.0)

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

In case of fire formation of dangerous gases possible.
Nitrogen oxides (NO_x)
Carbon monoxide
Carbon dioxide (CO₂)

* **5.3 Advice for firefighters**

- * **Special protective equipment for firefighters**
Wear a self-contained breathing apparatus and chemical protective clothing.

* **Additional information**

Use water spray jet to protect personnel and to cool endangered containers.
Exposure to fire may cause rupture / explosion of the containers.
Dispose of fire residues and contaminated extinguishing water in accordance with local, official regulations.

* **SECTION 6: Accidental release measures**

* **6.1 Personal precautions, protective equipment and emergency procedures**

- * **For non-emergency personnel**
Use personal protection equipment.
Leave the danger area.
- For emergency responders**
Personal protection by wearing close-fitting protective clothing and breathing apparatus.
Remove persons to safety.

6.2 Environmental precautions

Do not allow to enter into soil/subsoil.
Do not allow to enter into surface water or drains.

* **6.3 Methods and material for containment and cleaning up**

- * **For containment**
Prevent the liquid from spreading over a wide area (set up barriers, cover sewage systems).
- * **For cleaning up**
Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).
Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

Disposal: see section 13
Personal protection equipment: see section 8

* **SECTION 7: Handling and storage**

* **7.1 Precautions for safe handling**

- * **Protective measures**
Use only in well-ventilated areas.
Usual measures for fire prevention.
Handle and open container with care.
- Advices on general occupational hygiene**
When using do not eat, drink, smoke, sniff.
Wash hands before breaks and after work.
Remove contaminated clothing and protective equipment before entering eating areas.

* **7.2 Conditions for safe storage, including any incompatibilities**

- * **Requirements for storage rooms and vessels**
All regulations and local requirements for the storage of containers have to be respected.
Keep container tightly closed and in a well-ventilated place.
Only use containers specifically approved for the substance/product.

Protectogen® C aqua

Print date 19.04.2023
 Revision date 19.04.2023
 Version 7.0 (en)
 replaces version of 09.09.2021 (6.0)

* **Storage class**
 10 Combustible liquids that cannot be assigned to any of the above storage classes

* **Materials to avoid**
 Do not store together with explosives.
 Do not store with gases.
 Do not store together with pyrophoric and self-heating substances.
 Do not store together with oxidizing liquids or oxidizing solids.
 Do not store together with infectious substances.
 Do not store together with radioactive material.
 Do not store together with food or feed.

* **7.3 Specific end use(s)**

* **Recommendation**
 See section 1.2
 An exposure scenario is not required.

* **SECTION 8: Exposure controls/personal protection*** **8.1 Control parameters****DNEL worker**

CAS No.	Substance name	DNEL value	DNEL type	Remark
29385-43-1	methyl-1H-benzotriazole	0.3 mg/kg bw/day	long-term dermal (systemic)	Assessment factor 300, repeated dose toxicity.
29385-43-1	methyl-1H-benzotriazole	21.2 mg/m ³	long-term inhalative (systemic)	Assessment factor 75, repeated dose toxicity.

DNEL Consumer

CAS No.	Substance name	DNEL value	DNEL type	Remark
29385-43-1	methyl-1H-benzotriazole	0.01 mg/kg bw/day	Long-term – oral, systemic effects	Assessment factor 3000, repeated dose toxicity.
29385-43-1	methyl-1H-benzotriazole	0.01 mg/kg bw/day	long-term dermal (systemic)	Assessment factor 3000, repeated dose toxicity.
29385-43-1	methyl-1H-benzotriazole	350 µg/m ³	long-term inhalative (systemic)	Assessment factor 750, repeated dose toxicity.

* **PNEC**

CAS No.	Substance name	PNEC Value	PNEC type	Remark
29385-43-1	methyl-1H-benzotriazole	0.292 mg/kg dw	sediment, marine water	Assessment factor 10
29385-43-1	methyl-1H-benzotriazole	0.008 mg/L	aquatic, freshwater	Assessment factor 50, assessment factor.
29385-43-1	methyl-1H-benzotriazole	0.086 mg/L	aquatic, intermittent release	Assessment factor 5, assessment factor.
29385-43-1	methyl-1H-benzotriazole	0.117 mg/kg dw	sediment, freshwater	Assessment factor 10
29385-43-1	methyl-1H-benzotriazole	20 µg/L	aquatic, marine water	Assessment factor 500, assessment factor.
29385-43-1	methyl-1H-benzotriazole	18.7 µg/kg	soil	Assessment factor 10
29385-43-1	methyl-1H-benzotriazole	39.4 mg/L	sewage treatment plant (STP)	Assessment factor 10, assessment factor.
7631-99-4	sodium nitrate	18 mg/L	sewage treatment plant (STP)	Assessment factor 10, assessment factor.

* **8.2 Exposure controls*** **Personal protection equipment****Eye/face protection**

Protective goggles according to EN 166, in case of increased risk add protective face shield.

Protectogen® C aqua

Print date 19.04.2023
 Revision date 19.04.2023
 Version 7.0 (en)
 replaces version of 09.09.2021 (6.0)

Hand protection

Safety gloves according to EN 374:

Glove material specification [make/type, thickness, permeation time/life]: IIR, >= 0,7 mm, > 480 min

Body protection:

Safety shoes with steel toecap.

Body covering work clothing or chemical resistant suit at increased risk.

*

Respiratory protectionRespiratory protection necessary at:
high concentrations

Suitable respiratory protection apparatus:

Respiratory protection complying with EN 136.

Short term: filter apparatus, filter A

*

Environmental exposure controls

*

Remark

Prevent release to the environment.

*** SECTION 9: Physical and chemical properties***** 9.1 Information on basic physical and chemical properties****Physical state**

liquid

Colour

slightly yellowish

Odour

characteristic

Safety relevant basis data

	Value	Method	Source, Remark
Odour threshold:			not determined
Melting point/freezing point	Solidifying point approx. -10 °C	ASTM D 97	
Boiling point or initial boiling point and boiling range	102 °C pressure 1013 hPa	ASTM D1120	
flammability			none
Lower and upper explosion limit			none
Flash point	> 100 °C	ISO 2592 (open cup)	
Auto-ignition temperature	495 °C	DIN 51794	
Decomposition temperature	> 300 °C	DSC	
pH	8.3 (20°C) Concentration 100 g/L	DIN 51369	
Viscosity	kinematic 9.78 mm²/s (20°C)	DIN 51562	
Solubility(ies)	Water solubility (20°C)		completely miscible
Partition coefficient n-octanol/water (log value)			not applicable
Vapour pressure	< 0.001 hPa (20°C)	calculated	
Density and/or relative density	1.07 g/cm³ (20°C)	DIN 51757	
Relative vapour density			not determined
particle characteristics			not applicable

Protectogen® C aqua

Print date 19.04.2023
 Revision date 19.04.2023
 Version 7.0 (en)
 replaces version of 09.09.2021 (6.0)

9.2 Other information

No data available

*** SECTION 10: Stability and reactivity****10.1 Reactivity**

See section "Possibility of hazardous reactions".

*** 10.2 Chemical stability**

The mixture is chemically stable under recommended conditions of storage, use and temperature.

10.3 Possibility of hazardous reactions

Reactions with oxidising agents.

*** 10.4 Conditions to avoid**

Heat sources / heat - risk of bursting.
 Ignition sources, open flames, glowing metal surfaces, etc.

*** 10.5 Incompatible materials**

No data available

10.6 Hazardous decomposition products

When handled and stored appropriately, no dangerous decomposition products are known.

*** SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008***** Acute toxicity***** Animal data**

	Effective dose	Method, Evaluation	Source, Remark
Acute oral toxicity	CAS No.7631-99-4 sodium nitrate LD50: > 3430 mg/kg Species Rat	OECD 401	
	CAS No.29385-43-1 methyl-1H-benzotriazole LD50: approx. 720 mg/kg Species Rat	OECD 401	
Acute dermal toxicity	CAS No.7631-99-4 sodium nitrate LD50: > 5000 mg/kg Species Rat	OECD 402	
	CAS No.29385-43-1 methyl-1H-benzotriazole LD50: > 2000 mg/kg Species Rabbit	OECD 402	
Acute inhalation toxicity			Study scientifically not necessary.

*** Assessment/classification**

Based on available data, the classification criteria are not met.

*** Skin corrosion/irritation****Animal data**

Result / Evaluation	Method	Source, Remark
non-irritant. Species Rabbit	OECD 404	Data refer to NaNO ₃ .

Protectogen® C aqua

Print date 19.04.2023
 Revision date 19.04.2023
 Version 7.0 (en)
 replaces version of 09.09.2021 (6.0)

- * **Assessment/classification**
 Based on available data, the classification criteria are not met.

* **Serious eye damage/irritation****Animal data**

Result / Evaluation	Method	Source, Remark
Irritant.	OECD 405	Data refer to NaNO3.
Species Rabbit		

- * **Assessment/classification**
 Based on available data, the classification criteria are not met.

* **Sensitisation to the respiratory tract**

- * **Assessment/classification**
 No data available

* **Skin sensitisation****Animal data**

Result / Evaluation	Dose / Concentration	Method	Source, Remark
not sensitising.		OECD 429	Data refer to NaNO3.
	Species Mouse		

- * **Assessment/classification**
 Based on available data, the classification criteria are not met.

* **Germ cell mutagenicity**

Value	Method	Result / Evaluation	Remark
In vitro mutagenicity/genotoxicity	OECD 473	negative	Data refer to NaNO3.
In vivo mutagenicity/genotoxicity	Species Mouse	negative	Data refer to NaNO3.

- * **Assessment/classification**
 Based on available data, the classification criteria are not met.

* **Carcinogenicity****Animal data**

Value	Method	Result / Evaluation	Remark
Carcinogenicity	oral NOAEL(C): ≥ 4000 mg/l Species Rat Exposure duration 273 d		Data refer to NaNO3.

- * **Assessment/classification**
 Based on available data, the classification criteria are not met.

* **Reproductive toxicity**

- * **Assessment/classification**
 No data available

* **STOT-single exposure*** **STOT SE 1 and 2**

- * **Assessment/classification**
 Based on available data, the classification criteria are not met.

Protectogen® C aqua

Print date 19.04.2023
 Revision date 19.04.2023
 Version 7.0 (en)
 replaces version of 09.09.2021 (6.0)

* **STOT-repeated exposure**

* **Assessment/classification**
 No data available

* **Aspiration hazard**

* **Remark**
 Based on available data, the classification criteria are not met.

11.2 Information on other hazards**Other information**

The product has not been tested. The information is derived from the properties of the individual components.

* **SECTION 12: Ecological information*** **12.1 Toxicity*** **Aquatic toxicity**

	Effective dose	Method, Evaluation	Source, Remark
Acute (short-term) fish toxicity	LC50: > 1559 mg/L Species Topeka shiner (Notropis topeka) Test duration 96 h	OECD 203	Data refer to NaNO ₃ .
Chronic (long-term) fish toxicity	not determined		
Acute (short-term) toxicity to crustacea	EC0 7240 mg/L Species Daphnia sp. Test duration 24 h	OECD 202	Data refer to NaNO ₃ .
Chronic (long-term) toxicity to aquatic invertebrate	not determined		
Acute (short-term) toxicity to algae and cyanobacteria	not determined		
Chronic (long-term) toxicity to aquatic algae and cyanobacteria	not determined		
Toxicity to other aquatic plants/organisms	not determined		
Toxicity to microorganisms	EC50 > 1000 mg/L Species activated sludge Test duration 180 min	OECD 209	Data refer to NaNO ₃ .

* **Assessment/classification**

The product has not been tested. The data are derived from the individual components of the mixture.

* **12.2 Persistence and degradability**

	Value	Method	Source, Remark
Biodegradation	Degradation rate > 96 % Test duration 14 d	OECD 302B/ ISO 9888/ EEC 92/69/V, C.9	Data refer to the mixture.
Biodegradation	Degradation rate 4 % Test duration 28 d	OECD 301F/ ISO 9408/ EEC 92/69/V, C.4-D	CAS No.29385-43-1 methyl-1H-benzotriazole

* **12.3 Bioaccumulative potential**

	Value	Method	Source, Remark
Bioconcentration factor (BCF)	Bioconcentration factor (BCF) 2.4	calculated	CAS No.29385-43-1 methyl-1H-benzotriazole

* **Assessment/classification**

Based on the n-octanol/water partition coefficients of the individual components of the mixture, accumulation in organisms is not expected.

Protectogen® C aqua

Print date 19.04.2023
 Revision date 19.04.2023
 Version 7.0 (en)
 replaces version of 09.09.2021 (6.0)

*** 12.4 Mobility in soil**

	Value	Distribution	Transport type	Method	Remark
Half-life time in soil	CAS No.29385-43-1 methyl-1H-benzotriazole 110				KOC value

12.5 Results of PBT and vPvB assessment

The substance/mixture does not contain components meeting the PBT/vPvB criteria of the Reach Regulation, Annex XIII, at levels of 0.1% or higher.

*** 12.6 Endocrine disrupting properties**

	Effective dose	Method, Evaluation	Source, Remark
Endocrine disrupting properties			See section 2.3

12.7 Other adverse effects*** Additional ecotoxicological information**

	Value	Method	Source, Remark
Chemical oxygen demand (COD)	1479 mgO ₂ /g	ISO/DIS 15705	Data refer to the mixture.
Total organic carbon (TOC):	387 mg/g	DIN/EN 1484	Data refer to the mixture.

*** SECTION 13: Disposal considerations***** 13.1 Waste treatment methods****Waste codes/waste designations according to EWC/AVV**

Waste code product	Waste name
160114 *	antifreeze fluids containing hazardous substances

*** Appropriate disposal / Product**

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.
 Prevent release to the environment. No disposal via the sewage.
 Disposal according to local regulations.

*** Appropriate disposal / Package**

Disposal according to local regulations.

SECTION 14: Transport information

	Land transport (ADR/RID)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1 UN number or ID number	-	-	-
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No	No	No

14.6 Special precautions for user

The protective measures listed in Sections 6, 7 and 8 of the Safety Data Sheet have to be considered.

14.7 Maritime transport in bulk according to IMO instruments

No carriage in bulk.

Land transport (ADR/RID)**Remark**

Not classified for this transport carrier.

Protectogen® C aqua

Print date 19.04.2023
Revision date 19.04.2023
Version 7.0 (en)
replaces version of 09.09.2021 (6.0)

Sea transport (IMDG)

Remark

No hazardous material as defined by the prescriptions.

Air transport (ICAO-TI / IATA-DGR)

Remark

No hazardous material as defined by the prescriptions.

*** SECTION 15: Regulatory information**

*** 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

*** EU legislation**

*** Restrictions of occupation**

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.
Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

*** Other regulations (EU)**

*** To follow:**

National and local regulations concerning chemicals shall be observed.

*** 15.2 Chemical Safety Assessment**

*** National regulations**

Chemical safety assessments for substances in this mixture were not carried out.

*** SECTION 16: Other information**

Key literature references and sources for data

Information from our suppliers and data from the "GESTIS Substances Database" and the "Registered Substances" database of the European Chemicals Agency (ECHA) were used to create this safety data sheet.

*** Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]**

The mixture was classified by the manufacturer.

*** Additional information**

® Clariant International Ltd.'s registered trademark.

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

Relevant H- and EUH-phrases (Number and full text)

H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H361d	Suspected of damaging the unborn child.
H411	Toxic to aquatic life with long lasting effects.

Indication of changes

* Data changed compared with the previous version