Propane

Print date Revision date 12.02.2025 12.02.2025 11.0 (en) Version replaces version of 21.12.2023 (10.0)



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name/designation	Propane
Art-Nr(n).	2712-2718, 0067
Substance name	propane
Index No	601-003-00-5
EC No	200-827-9
REACH No.	01-2119486944-21
CAS No	74-98-6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Fuel gas. Basic substance Refrigerant Propellant gas. Test gas

1.3 Details of the supplier of the safety data sheet

Supplier GHC Gerling, Holz & Co. Handels GmbH Ruhrstraße 113 D-22761 Hamburg Telephone +49 40 853 123 0 E-mail hamburg@ghc.de Website www.ghc.com

Department responsible for information: GHC Gerling, Holz & Co. Handels GmbH Telephone +49 40 853 123 0

E-mail (competent person): msds@ghc.de

1.4 Emergency telephone number

EN: Poison Information Center Mainz +49 6131 19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]	Classification procedure
Flam. Gas 1A, H220	
$D_{\text{mass}} = C_{\text{mass}} / (1 + \pi) + 1000$	

Press. Gas (Liq.), H280

Hazard statements for physical hazards H220 Extremely flammable gas. H280 Contains gas under pressure; may explode if heated.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP]

Hazard pictograms



Propane

 Print date
 12.02.2025

 Revision date
 12.02.2025

 Version
 11.0 (en)

 replaces version of
 21.12.2023 (10.0)

the chemical gas specialist

Signal word Danger

Hazard statements

H220 Extremely flammable gas. H280 Contains gas under pressure; may explode if heated.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P377 Leaking gas fire: Do not extinguish, unless leak can be stopped safely. P381 In case of leakage, eliminate all ignition sources. P403 Store in a well-ventilated place.

Supplemental hazard information

EIGA0357 Asphyxiant in high concentrations. Please return container with residual pressure.

2.3 Other hazards

Adverse human health effects and symptoms

Gas/vapour heavier than air. May accumulate in confined spaces, particularly at or below ground level. Contact with liquid may cause cold burns/frostbite.

Other adverse effects

The substance/mixture does not contain components identified as having endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated Regulation (EU) 2017/2100 or Commission Delegated Regulation (EU) 2018/605 in quantities of 0.1% or more.

Results of PBT and vPvB assessment

The substance/mixture does not contain components meeting the PBT/vPvB criteria of the Reach Regulation, Annex XIII, at levels of 0.1% or higher.

* SECTION 3: Composition / information on ingredients

* 3.1 Substances

Substance name	propane
Index No	601-003-00-5
EC No	200-827-9
REACH No.	01-2119486944-21
CAS No	74-98-6

Additional information Content: >= 99 %

3.2 Mixtures

not applicable

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated, saturated clothing immediately. In the event of persistent symptoms obtain medical treatment. First aider: Pay attention to self-protection!

Following inhalation

Remove casualty to fresh air and keep warm and at rest. In case of respiratory standstill give artificial respiration by respiratory bag (Ambu bag) or respirator. Obtain medical assistance.

Following skin contact

In case of skin contact rinse with warm water. In case of frostbite, wash with plenty of water; do not remove clothing.

In case of frostbite rinse with lukewarm (not hot) water for at least 15 minutes. Do not remove clothing frozen to the skin. Thaw with lukewarm water. Apply a sterile dressing. Obtain medical assistance.

Propane

Print date Revision date 12.02.2025 12.02.2025 Version 11.0 (en) replaces version of 21.12.2023 (10.0)



After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical assistance.

Following ingestion

Ingestion is not considered a potential route of exposure.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

The following symptoms may occur in case of strong exposition: Frostbite Dizziness Dyspnoea Unconsciousness Vomiting

4.3 Indication of any immediate medical attention and special treatment needed

Notes for the doctor

Treat symptomatically. Where appropriate artificial ventilation. To supervise the blood circulation.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray jet Extinguishing powder

Unsuitable extinguishing media Carbon dioxide (CO2)

Full water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products Formation of explosive gas mixtures in contact with air. In case of fire formation of dangerous gases possible. Carbon monoxide Carbon dioxide (CO2)

5.3 Advice for firefighters

Special protective equipment for firefighters Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information

If possible, shut off gas valves and move containers to a safe location. Use water spray jet to protect personnel and to cool endangered containers. Exposure to fire may cause rupture / explosion of the containers. Do not extinguish a leaking gas flame unless absolutely necessary. Spontaneous/explosive re-ignition may occur. Extinguish any other fire. Dispose of fire residues and contaminated extinguishing water in accordance with local, official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Use personal protection equipment. Leave the danger area. Keep people away and stay on the upwind side.

Propane

Print date Revision date 12.02.2025 12.02.2025 11.0 (en) Version replaces version of 21.12.2023 (10.0)



For emergency responders

Personal protection by wearing close-fitting protective clothing and breathing apparatus. Pay attention to extension of gas especially at ground (heavier than air) and in direction of the wind. Eliminate all ignition sources if safe to do so. Remove persons to safety.

6.2 Environmental precautions

If possible, stop flow of product. Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

6.3 Methods and material for containment and cleaning up

For containment

If necessary, secure leaky pressure receptacles using a salvage container. Prevent the liquid from spreading over a wide area (set up barriers, cover sewage systems). Limit expansion of the gas (water spray jet).

For cleaning up

Leave to vapourize. Provide adequate ventilation.

6.4 Reference to other sections

Disposal: see section 13 Personal protection equipment: see section 8

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures

Use only in well-ventilated areas. Transfer and handle product only in closed systems. Usual measures for fire prevention. Containers' temperature should not be increased above 50 °C. The working pressure in the receptacle must not exceed the saturation vapour pressure of the pure product resulting at a temperature of 50 °C. Prevent cylinders from falling over. Take precautionary measures against static discharges. Ground barrels and installations. Use only antistatically equipped (spark-free) tools. Use explosion-proof machinery, apparatus, ventilation facilities, tools etc. Ensure valve protection device is correctly fitted. Ensure valve outlet cap nut or plug (where provided) is correctly fitted. Open valve slowly to avoid pressure shock. Do not allow backflow into the container. Entering of water into the container must be prevented. No water to valves, flanges and other fittings. Purging of pipes and valves with inert gases - to avoid: water, solvents.

Advices on general occupational hygiene When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Remove contaminated clothing and protective equipment before entering eating areas.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

All regulations and local requirements for the storage of containers have to be respected. Keep container tightly closed and in a well-ventilated place. Containers' temperature should not be increased above 50 °C. Prevent cylinders from falling over. Only use containers specifically approved for the substance/product. Information on suitable materials for receptacles and valves see ISO 11114.

Propane

 Print date
 12.02.2025

 Revision date
 12.02.2025

 Version
 11.0 (en)

 replaces version of
 21.12.2023 (10.0)



Materials to avoid

Do not store together with explosives. Do not store together with flammable liquids. Do not store together with flammable solids. Do not store together with pyrophoric and self-heating substances. Do not store together with oxidizing liquids or oxidizing solids. Do not store together with toxic liquids or toxic solids. Do not store together with infectious substances. Do not store together with radioactive material. Do not store together with food or feed.

7.3 Specific end use(s)

Recommendation See section 1.2

* SECTION 8: Exposure controls/personal protection

* 8.1 Control parameters

No data available

8.2 Exposure controls

Appropriate engineering controls

Technical measures to prevent exposure Transfer and handle only in enclosed systems.

Personal protection equipment

Eye/face protection Protective goggles according to EN 166, in case of increased risk add protective face shield.

Hand protection

Safety gloves according to EN 388: Chromate-free leather

Body protection:

Safety shoes with steel toecap. Body covering work clothing or chemical resistant suit at increased risk.

Respiratory protection

Keep self contained breathing apparatus readily available for emergency use. Respiratory protection necessary at: high concentrations Respiratory protection complying with EN 137. Do not use any filter apparatus. In case of rescue and maintenance activities in storage containers use environment-independent breathing apparatus because of risk of suffocation due to displacement of oxygen.

Thermal hazards

Use cold-resistant protective equipment.

Environmental exposure controls

Remark

Prevent release to the environment.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state

Gaseous / liquefied under pressure.

Colour colourless

12.02.2025 12.02.2025

21.12.2023 (10.0)

11.0 (en)

Safety relevant basis data

Propane

Print date Revision date Version replaces version of

Odour odourless

HOLZ+CO	
the chemical gas specialist	

Value Method Source, Remark Odour threshold: not applicable Melting point/freezing point not applicable Boiling point or initial boiling point -42.1 °C and boiling range flammability Extremely flammable gas (H220). Upper explosion limit 10.8 Vol-% Lower and upper explosion limit Lower and upper explosion limit Lower explosion limit 1.7 Vol-% Flash point not applicable 470 °C Auto-ignition temperature Decomposition temperature No decomposition if used as directed. not applicable pН Viscosity not applicable Solubility(ies) Water solubility 42.4 mL/L (20°C) Partition coefficient n-octanol/water 2.36 (log value) 8367 hPa (20°C) Vapour pressure not applicable Density and/or relative density Relative vapour density air = 1 1.55 particle characteristics not applicable 9.2 Other information Information with regard to physical hazard classes Gases under pressure Safety characteristics Value Method, Result Source, Remark Critical temperature 96.8 °C Other information

Vapours are heavier than air.

SECTION 10: Stability and reactivity

10.1 Reactivity

See section "Possibility of hazardous reactions".

10.2 Chemical stability

The substance is chemically stable under recommended conditions of storage, use and temperature.

10.3 Possibility of hazardous reactions

Formation of explosive mixtures with: Air Oxidising agent

Propane

 Print date
 12.02.2025

 Revision date
 12.02.2025

 Version
 11.0 (en)

 replaces version of
 21.12.2023 (10.0)



10.4 Conditions to avoid

Heat sources / heat - risk of bursting. Ignition sources, open flames, glowing metal surfaces, etc.

10.5 Incompatible materials

Oxygen Oxidising agent

10.6 Hazardous decomposition products

When handled and stored appropriately, no dangerous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Animal data

	Effective dose	Method,Evaluation	Source, Remark
Acute oral toxicity			Study technically not feasible.
Acute dermal toxicity			Study technically not feasible.
Acute inhalation toxicity	Acute inhalation toxicity (gas) LC50: 520400 ppm Species Mouse Exposure time 120 min		Data refer to isobutane

Assessment/classification

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Other information Study technically not feasible.

Serious eye damage/irritation

Other information Study technically not feasible.

Sensitisation to the respiratory tract

Assessment/classification No data available

Skin sensitisation

Other information Study technically not feasible.

Germ cell mutagenicity

Assessment/classification No data available

Carcinogenicity

Assessment/classification No data available

Reproductive toxicity

Assessment/classification No data available

Propane

 Print date
 12.02.2025

 Revision date
 12.02.2025

 Version
 11.0 (en)

 replaces version of
 21.12.2023 (10.0)



STOT-single exposure

STOT SE 1 and 2

Assessment/classification No data available

STOT SE 3

Irritation to respiratory tract

Assessment/classification No data available

Narcotic effects

Assessment/classification No data available

STOT-repeated exposure

Assessment/classification No data available

Aspiration hazard

Remark Study technically not feasible.

11.2 Information on other hazards

Other information

Inhalation causes narcotic effects/intoxication.

* SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity

	Effective dose	Method, Evaluation	Source, Remark
Acute (short-term) fish toxicity	not determined		
Chronic (long-term) fish toxicity	not determined		
Acute (short-term) toxicity to crustacea	not determined		
Chronic (long-term) toxicity to aquatic invertebrate	not determined		
Acute (short-term) toxicity to algae and cyanobacteria	not determined		
Chronic (long-term) toxicity to aquatic algae and cyanobacteria	not determined		
Toxicity to other aquatic plants/organisms	not determined		
Toxicity to microorganisms	not determined		
12.2 Persistence and degradability			
No data available			
12.3 Bioaccumulative potential			
No data available			
12.4 Mobility in soil			
No data available			

Propane

Print date Revision date 12.02.2025 12.02.2025 11.0 (en) Version replaces version of 21.12.2023 (10.0)



12.5 Results of PBT and vPvB assessment

The substance/mixture does not contain components meeting the PBT/vPvB criteria of the Reach Regulation, Annex XIII, at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

No data available

* 12.7 Other adverse effects

	Value	Method	Source, Remark
Global warming potential (GWP)	1		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste codes/waste designations according to EWC/AVV

Waste code product Waste name 160504 *

gases in pressure containers (including halons) containing hazardous substances

Appropriate disposal / Product Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Prevent release to the environment. No disposal via the sewage. Disposal according to local regulations.

Appropriate disposal / Package Transportable pressure equipment (empty, residual pressure): Return to supplier / manufacturer.

SECTION 14: Transport information

	Land transport (ADR/RID)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA- DGR)
14.1 UN number or ID number	UN 1978	UN 1978	UN 1978
14.2 UN proper shipping name	PROPANE	PROPANE	Propane
14.3 Transport hazard class(es)	2.1	2.1	2.1
14.4 Packing group	-	-	-
14.5 Environmental hazards	No	No	No

14.6 Special precautions for user

The protective measures listed in Sections 6, 7 and 8 of the Safety Data Sheet have to be considered.

14.7 Maritime transport in bulk according to IMO instruments

No carriage in bulk.

Land transport (ADR/RID)

UN number or ID number	UN 1978
UN proper shipping name	PROPANE
Transport hazard class(es)	2.1
Hazard label(s)	2.1
Classification code	2F
Packing group	-
Environmental hazards	No
Limited quantity (LQ)	0
Special provisions	392, 652, 657, 662, 674
Tunnel restriction code	B/D

Propane

Print date Revision date 12.02.2025 12.02.2025 11.0 (en) Version replaces version of 21.12.2023 (10.0)



Sea transport (IMDG)

UN number or ID number	UN 1978
UN proper shipping name	PROPANE
Transport hazard class(es)	2.1
Packing group	-
Environmental hazards	No
Limited quantity (LQ)	0
Marine pollutant	No
EmS	F-D, S-U

Air transport (ICAO-TI / IATA-DGR)

UN number or ID number	UN 1978
UN proper shipping name	Propane
Transport hazard class(es)	2.1
Packing group	-
Environmental hazards	No

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

Other regulations (EU)

To follow:

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), Annex XVII No 40. Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances. National and local regulations concerning chemicals shall be observed.

Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive] VOC VOC-value ≥ 99 %

15.2 Chemical Safety Assessment

National regulations

For this substance a chemical safety assessment has been carried out.

SECTION 16: Other information

Abbreviations and acronyms

Flam. Gas 1A: Flammable gas, Category 1A Press. Gas (Liq.): Liquefied gas (LG)

Key literature references and sources for data Information from our suppliers and data from the "GESTIS Substances Database" and the "Registered Substances" database of the European Chemicals Agency (ECHA) were used to create this safety data sheet.

Additional information

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

Propane Print date Revision date Version replaces version of 12.02.2025 12.02.2025 11.0 (en) 21.12.2023 (10.0)



Relevant H- and EUH-phrases (Number and full text)

H220 Extremely flammable gas.

H280 Contains gas under pressure; may explode if heated.

Indication of changes * Data changed compared with the previous version